



RAJASTHAN STATE LEGAL SERVICES AUTHORITY

RAJASTHAN HIGH COURT CAMPUS, JAIPUR BENCH, JAIPUR.

(Phone: 0141-2227481, 2227555, 2227602 FAX)

Email: rj-slsa@nic.in, website: www.rjslsa.gov.in

No. :- RSLSA/Store/F-9/e-tender/2017-18 / 39890

Dated: 15.02.2018

CORRIGENDUM (Only Through E- Procurement System)

Ref: No. :- RSLSA/Store/F-9/e-tender/2017-18 /36395 Dated: 25.01.2018

Sub: Corrigendum to the Advertisement of Tender Notice for THE SUPPLY,
INSTALLATION OF 25 Desktop Computer and 12 UPS system.

I am directed to issue a corrigendum after Pre-bid meeting for the advertisement of NIT for THE SUPPLY, INSTALLATION OF 25 Desktop and 12 UPS System at RSLSA, Jaipur.
Please find below the corrigendum as under:-

S. No.	Description and Page no.	Specification As Per Tender Document	CORRIGENDUM
1.	Page no. 2	<p>Last date of Submission of online bid 16.02.2018 at 1.00 PM</p> <p>Last date of Submission of bid security and document 16.02.2018 at 4.00 PM</p> <p>Date of opening of Technical Bid 17.02.2018 at 1.00 PM</p>	<p>Last date of Submission of online bid -- 22.02.2018 at 1.00 PM</p> <p>Last date of Submission of bid security and document 22.02.2018 at 4.00 PM</p> <p>Date of opening of Technical Bid 23.02.2018 at 1.00 PM</p> <p>Note: - Above dated in any pages in tender document both hindi and English are changed as per corrigendum.</p>



RAJASTHAN STATE LEGAL SERVICES AUTHORITY

RAJASTHAN HIGH COURT CAMPUS, JAIPUR BENCH, JAIPUR.

(Phone: 0141-2227481, 2227555, 2227602 FAX)

Email: rj-slsa@nic.in, website: www.rlsa.gov.in

2.	अनुलग्नक-1	Description	Specification As Per Tender Document	CORRIGENDUM
		क्रय किए जाने वाले उपकरणों की तकनीकी विशिष्टियां एवं मात्रा का विवरण :- page 17 to 18 For Desktop	3. Form Factor--	Small Form Factor with Volume less than 13 litres
	4. Processor Family	Intel Core i5 (6th Generation or higher) or equivalent.	Intel Core i5 (7th Generation or higher) or equivalent.	
	5. TDP (Thermal Design Power)	Not more than 65W	AS PER MODEL	
	9. System Memory(RAM)	4 GB to 8 GB DDR-III Memory or Higher with 1 unused slot (Preferred 8GB)	4 GB DDR-IV Memory or Higher with 1 unused slot .	
	11. Hard Disk	Integrated Dual Port SATA III Controller, HDD 500 GB 7200 RPM or more .	Integrated Dual Port SATA III Controller, HDD 1 TB 7200 RPM .	
	12. Preloaded Operating System	System Ubuntu/Free DOS/ Without OS / 64-bit window 10 professional.	System 64-bit window 10 professional with recovery partition With manufacturer provide the authenticity.	
	15. Screen Size & Resolution	20 Inch TFT LED Monitor	min 19.5 Inch TFT LED Monitor (HD Resolution)	
	18. Monitor Mounting Support	Vesa Support.		
	22. DVD	8 x DVD Writer	Only required five external DVD R/W and remove internal DVD for all 25 Desktop.	
	32. Anti-Virus Security	Min 2 year validity of Anti-Virus (like Avast)	Min 2 year validity of Anti-Virus with internet security version of reputed firm.	
	35. Warranty	3 to 5 years on site Comprehensive Warranty support with L1 support from bidder and L2 support from OEM	3 years on site Comprehensive Warranty support from OEM.	

525



RAJASTHAN STATE LEGAL SERVICES AUTHORITY

RAJASTHAN HIGH COURT CAMPUS, JAIPUR BENCH, JAIPUR.


(Phone: 0141-2227481, 2227555, 2227602 FAX)

Email: rj-slsa@nic.in, website: www.rjslsa.gov.in

3.	Page 19 UPS System	Description	Specification As Per Tender Document.	CORRIGENDUM
		Rating In KVA/ Min VAH Capacity of Battery	1.0/800 KVA/VAH (Preferred 800VAH) or 1.0/400 KVA/VAH	1 KVA with min 168VAH or higher
		Technology	MOSFET-PWM	MOSFET-PWM
		Input	Single Phase sinewave & 160-280V	Single Phase sinewave & 140-295V
		Rated Output	Single phase sinewave 230V(+/- 10%) AC , 50Hz	Single phase stepped sinewave 230V(+/- 10%) AC , 50Hz
		Overload	10%	UPS will get tripped under Overload to protect the load
		Protection For Outside Input Voltage Range	230 Volt	UPS should get tripped during Over/ Low Input Voltage in mains or battery mode (140 to 295 VAC)
		Backup Time	Min 15 minutes	15 minutes backup considered on two PC.
		Total Harmonic Distortion	40%	40%
		16 Overload time	10 Mintues	Not Applicable
		16 Protection Against Short Circuit of UPS	Yes	UPS should get tripped during short circuit
		17 UPS OEM Certificates	OEM should be ISO 14001, ISO 9001 certified	OEM should be ISO 18001 (OHSAS), ISO 14001, ISO 9001 and BIS certified
		18 Warranty	3 Years warranty on UPS & Batteries	2 Year on UPS & Batteries
		19 Service Availability	To be added	OEM Should have own service center in Rajasthan

Note: - Purchase Item may be increase or decrease. The rest of contents of RFP will remain same.

Order By ,


(S. K. Jain)

Member Secretary, RSLSA